

Orion® Tritech II-M Stabilized Monopod with 3-Way Pan Head

#40810




Figure 1. Key features (Shown with retractable mini tripod stand deployed.)

CAUTION: While the mini tripod stand can help stabilize the monopod while in use, it is not designed to support an unattended camera or spotting scope. Always maintain a firm grip on your camera or spotting scope with one hand – even when the mini tripod stand is deployed – to prevent the monopod from tipping over.




Figure 2. Fold the mini tripod legs down (A) until they click into the locked position. To fold them back up, (B) press the two spring pegs inward, then lift the leg up.




Figure 3. Attach the handle to the pan head with the handle adjustment knob (A). To change the handle angle, just loosen the handle adjustment knob until the handle can be rotated, then retighten the knob when the desired angle has been set. (B) Three adjustment knobs let you rotate and lock the 3-way pan head's azimuth (horizontal), altitude (vertical), and lateral tilt (C).



Corporate Offices: 89 Hangar Way, Watsonville CA 95076 - USA
Toll Free USA & Canada: (800) 447-1001
International: +1(831) 763-7000
Customer Support: support@telescope.com






Figure 4. Rotate the knurled tilt adjustment ring near the bottom of the monopod up or down to allow a greater or lesser amount of tilt, respectively. Allowing more tilt can be useful when photographing or observing moving subjects




Figure 5. Opening the lock/release lever allows the dovetail mounting plate to be lifted out of its seat. Attach your camera, spotting scope, or binocular adapter to the plate's 1/4"-20 threaded post. To reinstall the plate, place it over the seat and press it down firmly to snap the spring-loaded lock/release lever into the locked position.



Figure 6. A great feature of the Tritech II-M Monopod is the ability to couple the pan head directly to the mini tripod stand, to create a versatile, low-profile "tabletop" tripod. Just unscrew the pan head and the mini tripod stand assembly from their respective ends of the monopod column, then screw the pan head onto the exposed threaded post of the mini tripod stand until it's tight.

One-Year Limited Warranty

This Orion product is warranted against defects in materials or workmanship for a period of one year from the date of purchase. This warranty is for the benefit of the original retail purchaser only. During this warranty period Orion Telescopes & Binoculars will repair or replace, at Orion's option, any warranted instrument that proves to be defective, provided it is returned postage paid. Proof of purchase (such as a copy of the original receipt) is required. This warranty is only valid in the country of purchase.

This warranty does not apply if, in Orion's judgment, the instrument has been abused, mishandled, or modified, nor does it apply to normal wear and tear. This warranty gives you specific legal rights. It is not intended to remove or restrict your other legal rights under applicable local consumer law; your state or national statutory consumer rights governing the sale of consumer goods remain fully applicable.

For further warranty information, please visit www.OrionTelescopes.com/warranty.



Corporate Offices: 89 Hangar Way, Watsonville CA 95076 - USA
Toll Free USA & Canada: (800) 447-1001
International: +1(831) 763-7000
Customer Support: support@telescope.com

Copyright © 2022 Orion Telescopes & Binoculars. All Rights Reserved. No part of this product instruction or any of its contents may be reproduced, copied, modified or adapted, without the prior written consent of Orion Telescopes & Binoculars.